

Notice of Allowability

Application No.

10/767,035

Examiner

Mr. Terry K. Cecil

Applicant(s)

KUENNEN ET AL.

Art Unit

1723

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the telephone interview of 3-12-2007 and the amendment of 3-6-2007.
2. ☒ The allowed claim(s) is/are 32, 34-42 and 71-73 respectively renumbered upon allowance as claims 1-13.
3. ☒ The drawings filed on 1-29-2004 and 9-11-2006 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date <u>3-13-2007</u> . |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

Art Unit: 1723

Note: Claims 32, 34-42 and 71-73 are allowed and have been respectively renumbered upon allowance as claims 1-13.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee. Authorization for this examiner's amendment was given in a telephone interview with G. Bondarenko on 3-12-2007.

2. The application has been amended as follows:

- Claim 32,
line 1, after “lamp assembly”, —for use in a water treatment system— has been added; and in
line 11, after “at least one conduit”, —to treat water flowing therethrough— has been added.
- Claim 71,
line 1, after “lamp assembly”, —for use in a water treatment system— has been added;
line 7, “outward” has been replaced with —inwardly—; and in
line 9, after “the conduit”, —to treat water flowing therethrough— has been added.
- Specification, page 1, line 1 of the first paragraph (as amended), after “July 29, 2002”, —
(now U.S. Patent 6,793,817)— has been added.

Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance:

- The closest cited art—WO 96/33135—fails to anticipate or render obvious, alone or in any proper combination, the reflector including at least one diminishing radii of curvature transitioning to corresponding constant radii portions, wherein the bulb is positioned adjacent the conduit—within the lamp assemblies of claims 32 and 71. This limitation is shown in e.g. applicant's figures 21B and 22, wherein reference no. 434 indicates the constant radii portion and 436 the diminishing radii portion. In WO '135, the reflector is elliptical and necessarily precludes a constant radii portion since the radius of an ellipse continually changes; therefor, also in WO '135, the bulb cannot be placed adjacent a constant radii portion.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee.

Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 1723

Contact Information:

- Examiner Mr. Terry K. Cecil can be reached at (571) 272-1138 at the Carlisle campus in Alexandria, Virginia for any inquiries concerning this communication or earlier communications from the examiner. Note that the examiner is on the increased flextime schedule but can normally be found in the office during the hours of 8:30a to 4:30p, on at least four days during the week M-F.
- Steve Griffin, the examiner's supervisor, can be reached at (571)272-1189 if attempts to reach the examiner are unsuccessful.
- The Fax number for this art unit for official faxes is (571) 273-8300.
- Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Mr. Terry K. Cecil
Primary Examiner
Art Unit 1723

TKC
March 12, 2007